



Batch code: T003136
Report date: 2026-07-13

Certificate of Analysis

Sample code:	N/A	Report code:	COA-MPAGRTJEUUWF
Sample name:	Tirzepatide	Received on:	2026-07-12
Sample reference:	Manufacturer provided details: Batch No.: T003136 Mfg date: 2026-07-12 Supplied For: Society Scientific	Analysed between:	2026-07-12 2026-07-12
		Sample packing:	Satisfactory
Sample Quantity:			

ANALYTICAL

Parameter	Result	Unit	Specification
Purity by HPLC	99.40	%	≥99.0
Peptide content	97.94	%	≥80.0
Moisture content	0.90	%	<8.0
Acetic acid content	N/A	-	N/A
Appearance	Conforms	-	White to off-white lyophilized powder

MICROBIOLOGICAL

Parameter	Result	Unit	Specification
Endotoxin	Conforms	EU/mg	<10.0

Sample Conclusion:

The sample complies with specifications.

This Certificate of Analysis was digitally generated and validated by the system.
No manual signature required.

***** END OF REPORT *****

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analyzed. The above test results are a direct transcription of information provided to Society Scientific from the Certificate of Analysis provided by Thaeta Scientific